

03/12/2020 10:32
Manage License for :EmiJZ8iQBkKMCwul2p2bsQ
E N D #####
03/12/2020 10:32
License settings clearing for :EmiJZ8iQBkKMCwul2p2bsQ:True
E N D #####
03/12/2020 10:32
License settings cleared for :EmiJZ8iQBkKMCwul2p2bsQ:True
E N D #####
03/12/2020 10:32
License settings restoring for :EmiJZ8iQBkKMCwul2p2bsQ:True
E N D #####
03/12/2020 10:32
License settings restored for :EmiJZ8iQBkKMCwul2p2bsQ:True
E N D #####
03/12/2020 10:33
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
03/12/2020 10:33
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 10:33
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 10:33
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 10:33
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 10:33
Error while creating backup to
Error Message:Impossible d'ouvrir le support de sauvegarde
'C:\Users\SOFT\Documents\SambaPOS5\Database Backups\SambaPos_Full.bak'.
Erreur 5(Accès refusé.) du système d'exploitation.
BACKUP DATABASE s'est terminé anormalement.
E N D #####
03/12/2020 10:38
Appkey renew.
E N D #####
03/12/2020 11:02
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
03/12/2020 11:02
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 11:02
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 11:02
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 11:02
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
03/12/2020 12:43
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/12/2020 12:43
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:43
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:43
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:43
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/12/2020 12:44
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/12/2020 12:44
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:44
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:45
Appkey renew.
##### E N D #####
03/12/2020 12:46
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/12/2020 12:46
Restore License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
```

```
##### E N D #####
03/12/2020 12:46
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:46
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:46
License restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:48
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/12/2020 12:48
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:48
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:48
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 12:48
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:28
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/12/2020 13:28
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:28
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:28
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:28
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:29
Manage License for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/12/2020 13:29
License settings clearing for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:29
License settings cleared for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:29
License settings restoring for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/12/2020 13:29
License settings restored for :cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
```

E N D

03/12/2020 14:39

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 03/12/2020
Time: 13:39

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection

```
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
```

```

    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()

```

```
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()
```

Inner Exception 1

Type: System.ComponentModel.Win32Exception
Message: Le fichier spécifié est introuvable
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252

--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2369872
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

03/12/2020 14:40

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 03/12/2020
Time: 13:40

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString


```

userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool
pool, String accessToken, Boolean applyTransientFaultHandling)
    at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionO
ptions options, DbConnectionPoolKey poolKey, Object
poolGroupProviderInfo, DbConnectionPool pool, DbConnection
owningConnection, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbCon
nectionPool pool, DbConnection owningObject, DbConnectionOptions options,
DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)

```

```

    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<UsingConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript(Nullable`1 commandTimeout, DbConnection sqlConnection, String createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnection connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContext internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<CreateInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(Action action)

```

```

    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0

```

Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2344120
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
03/12/2020 14:44

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 03/12/2020
Time: 13:44

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException

Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source: .Net SqlClient Data Provider

Stack Trace: at

System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)

at

System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)

at

System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)

at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D

```
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
```

```

    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(A
ction`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

Inner Exception 1

Type: System.ComponentModel.Win32Exception
Message: Le fichier spécifié est introuvable
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1968896
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

03/12/2020 14:49

Manage License for :

E N D

03/12/2020 14:57

License should update because local license count is zero.

E N D

03/12/2020 14:57

Licenses Updating...

E N D

03/12/2020 14:57

1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

2- Local Licenses:

3- Remote Licenses:

V5PROLicense-

MobileClient-

TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9

MobileClient-

TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ

MobileClient-

TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q

MobileClient-

TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk

metriKstandard-

E N D

03/12/2020 14:57

License Updating...V5PROLicense

E N D

03/12/2020 14:57

License Updating...MobileClient

E N D

03/12/2020 14:57

License Updating...MobileClient

E N D

03/12/2020 14:57

License Updating...MobileClient

E N D

03/12/2020 14:57

License Updating...MobileClient

E N D

03/12/2020 14:57

License Updating...metriKstandard

E N D

03/12/2020 14:57

Licenses Updated.

E N D

03/12/2020 14:57

License should update because forced.

```
##### E N D #####
03/12/2020 14:57
Licenses Updating...
##### E N D #####
03/12/2020 14:57
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
3- Remote Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
```

```
##### E N D #####
03/12/2020 14:57
License Updating...V5PROLicense
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...metriKstandard
##### E N D #####
03/12/2020 14:57
Licenses Updated.
##### E N D #####
03/12/2020 14:57
License should update because licenses cleared.
##### E N D #####
```

03/12/2020 14:57
Remote App Key updated.
E N D #####
03/12/2020 14:57
Licenses Updating...
E N D #####
03/12/2020 14:57
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
3- Remote Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-

E N D #####
03/12/2020 14:57
License Updating...V5PROLicense
E N D #####
03/12/2020 14:57
License Updating...MobileClient
E N D #####
03/12/2020 14:57
License Updating...MobileClient
E N D #####
03/12/2020 14:57
License Updating...MobileClient
E N D #####
03/12/2020 14:57
License Updating...metriKstandard
E N D #####
03/12/2020 14:57
Licenses Updated.
E N D #####
03/12/2020 14:57

```
License should update because forced.
##### E N D #####
03/12/2020 14:57
Licenses Updating...
##### E N D #####
03/12/2020 14:57
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjxEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
3- Remote Licenses:
V5PROLicense-e3135a4c-9976-5178-a85e-9e0c4f9a2ec6
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjxEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-

##### E N D #####
03/12/2020 14:57
License Updating...V5PROLicense
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...MobileClient
##### E N D #####
03/12/2020 14:57
License Updating...metriKstandard
##### E N D #####
03/12/2020 14:57
Licenses Updated.
##### E N D #####
03/12/2020 15:31
```

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
03/12/2020 15:31
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 15:31
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 15:31
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/12/2020 15:31
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/12/2020 10:46
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
04/12/2020 10:46
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/12/2020 10:46
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/12/2020 10:46
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/12/2020 10:46
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/12/2020 13:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
04/12/2020 13:16
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/12/2020 13:16
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/12/2020 13:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
04/12/2020 13:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/12/2020 13:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
04/12/2020 13:16
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/12/2020 13:16
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/12/2020 13:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/12/2020 13:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/12/2020 14:50
```

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 04/12/2020
Time: 13:50

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception
Type: System.Net.WebException
Message: Le nom distant n'a pas pu être résolu:
'gist.githubusercontent.com'
Source: System
Stack Trace: à System.Net.WebClient.DownloadDataInternal(Uri address,
WebRequest& request)
à System.Net.WebClient.DownloadString(Uri address)
à System.Net.WebClient.DownloadString(String address)

à
Samba.Management.DatabaseModule.AutoConfigurationViewModel.Download(String url)

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1812660
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

04/12/2020 16:11

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

04/12/2020 16:11

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

04/12/2020 16:11

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

04/12/2020 16:11

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

04/12/2020 16:11

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

05/12/2020 11:15

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 10:15

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider


```
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
    at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1 retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1 retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
```

```
at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open(DbConnection connection, DbInterceptionContext interceptionContext)
at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<UsingConnection>b__0()
at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
```

```

    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<CreateInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(Action action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEntityTypeTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectContextAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.ShouldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.CreateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:          System.ComponentModel.Win32Exception
Message:       Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0

```

Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2393312
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
05/12/2020 11:17

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ

Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 10:17

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio

```

n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal (D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection (DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner (TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen (TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open ()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute (Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection (DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection (Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase (DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase (DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase ()

```

```

        at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
        at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
        at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
        at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
        at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
        at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
        at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
        at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
        at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
        at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
        at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
        at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
        at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
        at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(A
ction`1 action)
        at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
        at System.Data.Entity.Internal.InternalContext.Initialize()
        at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
        at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
        at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
        at Samba.Persistance.Data.WorkspaceFactory.Create()
        at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
        at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()

```

```
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:    Le fichier spécifié est introuvable
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2290948
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586
```


Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

05/12/2020 11:26

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

05/12/2020 11:26

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

05/12/2020 11:26

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

05/12/2020 11:26

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

05/12/2020 11:26

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

05/12/2020 13:48

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 12:48

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException

Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source: .Net SqlClient Data Provider

Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1 retry)

```
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
```

```

    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(A
ction`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2582744
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
05/12/2020 13:54

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 12:54

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)

```

    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)

```

```

    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()

```



```
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2556256
```

```
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

```
##### E N D #####
05/12/2020 13:57
```

[General Info]

```
Application: SambaPOS
Version:      5.3.0
Region:       en
DB:           SQ
Machine:      BAR
User:         SOFT
Date:         05/12/2020
Time:         12:57
```

User Explanation:

```
SOFT said ""
```

[Exception Info 1]

Top-level Exception

```
Type:          System.Data.SqlClient.SqlException
Message:       A network-related or instance-specific error occurred while
establishing a connection to SQL Server. The server was not found or was
not accessible. Verify that the instance name is correct and that SQL
Server is configured to allow remote connections. (provider: Named Pipes
Provider, error: 40 - Could not open a connection to SQL Server)
Source:        .Net SqlClient Data Provider
Stack Trace:   at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdent
ity identity, SqlConnectionString connectionOptions, SqlCredential
credential, Object providerInfo, String newPassword, SecureString
newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString
userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool
pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionO
```

```

ptions options, DbConnectionPoolKey poolKey, Object
poolGroupProviderInfo, DbConnectionPool pool, DbConnection
owningConnection, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbCon
nectionPool pool, DbConnection owningObject, DbConnectionOptions options,
DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)

```

```
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
```

```

    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:          System.ComponentModel.Win32Exception
Message:       Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0

```

Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2544488
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
05/12/2020 14:00

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 13:00

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException

Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source: .Net SqlClient Data Provider

Stack Trace: at

System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)

at

System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)

at

System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)

at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)

at

System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio

```

n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)

```



```

    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContext
internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

Inner Exception 1

Type: System.ComponentModel.Win32Exception

Message: Le fichier spécifié est introuvable

Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2507212
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

05/12/2020 14:28

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 13:28

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

```
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
at System.Data.SqlClient.SqlConnection.Open()
at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
```

```

(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()

```

```
at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectContext
textAdapter.get_ObjectContext()
at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
at Samba.Persistance.Data.WorkspaceFactory.Create()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2261544
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
05/12/2020 15:09

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 14:09

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential

```

credential, Object providerInfo, String newPassword, SecureString
newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString
userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool
pool, String accessToken, Boolean applyTransientFaultHandling)
    at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionO
ptions options, DbConnectionPoolKey poolKey, Object
poolGroupProviderInfo, DbConnectionPool pool, DbConnection
owningConnection, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbCon
nectionPool pool, DbConnection owningObject, DbConnectionOptions options,
DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,

```



```
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<UsingConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript(Nullable`1 commandTimeout, DbConnection sqlConnection, String createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnection connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContext internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<CreateInitializationAction>b__0()
```

```

    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction (Action action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b__58_0 (InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction (TInput input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction (Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEntityTypeTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectContextAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor (CommonDbContext context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.ShouldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.CreateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0

```

DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2408572
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
05/12/2020 16:03

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020

Time: 15:03

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException

Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source: .Net SqlClient Data Provider

Stack Trace: at

System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)

at

System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)

at

System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)

at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)

```
at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal (DbConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection (DbConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.SqlClient.SqlConnection.TryOpenInner (TaskCompletionSource`1 retry)
at System.Data.SqlClient.SqlConnection.TryOpen (TaskCompletionSource`1 retry)
at System.Data.SqlClient.SqlConnection.Open ()
at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c.<Open>b__13_0 (DbConnection t, DbConnectionInterceptionContext c)
at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch [TTarget, TInterceptionContext] (TTarget target, Action`2 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open (DbConnection connection, DbInterceptionContext interceptionContext)
at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<UsingConnection>b__0 ()
at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute (Action operation)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection (DbConnection sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection (DbConnection sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript (Nullable`1 commandTimeout, DbConnection sqlConnection, String createDatabaseScript)
at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase (DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase (DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase ()
at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create (DbConnection connection)
```

```

    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(Interna
lContext internalContext, Func`3 createMigrator,ObjectContext ob
jectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(Obje
ctContext objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext
context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(Data
Context context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitialization
Action(Action action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitial
ization()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeData
base>b__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(T
Input input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDataba
seAction(Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDataba
se()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingFo
rKnownEntityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.I
ObjectContextAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(Comm
onDbContext context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationSe
rvice.get_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationSe
rvice.ShouldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationSe
rvice.CreateData()

```

```
at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
```

```
Type: System.ComponentModel.Win32Exception
```

```
Message: Le fichier spécifié est introuvable
```

```
Source:
```

```
-----
```

```
[Assembly Info]
```

```
mscorlib, Version=4.0.0.0
```

```
PresentationFramework, Version=4.0.0.0
```

```
PresentationCore, Version=4.0.0.0
```

```
System, Version=4.0.0.0
```

```
WindowsBase, Version=4.0.0.0
```

```
Samba.Services, Version=5.3.7390.41537
```

```
System.ComponentModel.Composition, Version=4.0.0.0
```

```
System.Configuration, Version=4.0.0.0
```

```
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
```

```
System.Xaml, Version=4.0.0.0
```

```
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
```

```
Samba.Presentation.Services, Version=5.3.7390.41539
```

```
Samba.Presentation.Common, Version=5.3.7390.41541
```

```
System.Drawing, Version=4.0.0.0
```

```
Samba.Domain, Version=5.3.7390.41536
```

```
Microsoft.Practices.Prism, Version=4.0.0.0
```

```
System.Core, Version=4.0.0.0
```

```
Samba.Infrastructure, Version=5.3.7390.41533
```

```
DevExpress.Data.v17.2, Version=17.2.13.0
```

```
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
```

```
Samba.Localization, Version=5.3.7390.41534
```

```
Samba.Persistance, Version=5.3.7390.41536
```

```
FastButton, Version=1.0.0.0
```

```
-----
```

```
[System Info]
```

```
Operating System
```

```
-Microsoft Windows 10 Professionnel
```

```
--CodeSet = 1252
```

```
--CSDVersion =
```

```
--CurrentTimeZone = 60
```

```
--FreePhysicalMemory = 2415844
```

```
--OSArchitecture = 64 bits
```

```
--OSLanguage = 1036
```

```
--ServicePackMajorVersion = 0
```

```
--ServicePackMinorVersion = 0
```

```
--Version = 10.0.10586
```

```
Machine
```

```
-BAR
```

```
--Manufacturer = Hewlett-Packard
```

--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
05/12/2020 16:05

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 05/12/2020
Time: 15:05

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)


```
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
```

```

    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)

```

```

    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0

```

Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2399440
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
06/12/2020 09:32

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 06/12/2020
Time: 08:32

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException

Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source: .Net SqlClient Data Provider

Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)
at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory, TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1 retry)

```
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
```

```

    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(A
ction`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

Inner Exception 1

Type: System.ComponentModel.Win32Exception

Message: Le fichier spécifié est introuvable

Source:

[Assembly Info]

microsoftlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2398232
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
07/12/2020 08:41

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 07/12/2020
Time: 07:41

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)

```

    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)

```

```

    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()

```

```
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService Sho
uldCreateData()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2357340
```

--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

07/12/2020 08:58

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

07/12/2020 08:58

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

07/12/2020 08:58

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

07/12/2020 08:58

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

07/12/2020 08:58

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

07/12/2020 13:06

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 07/12/2020
Time: 12:06

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.ComponentModel.Win32Exception
Message: The specified executable is not a valid application for this OS platform.
Source: System
Stack Trace: at
System.Diagnostics.Process.StartWithShellExecuteEx(ProcessStartInfo startInfo)
at System.Diagnostics.Process.Start()
at
Samba.Presentation.ClientLibrary.Modules.ManagementModule.MetrikView.Completed(Object sender, AsyncCompletedEventArgs e) in
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Presentation.ClientLibrary\Modules\ManagementModule\MetrikView.xaml.cs:line 75
at
System.Net.WebClient.OnDownloadFileCompleted(AsyncCompletedEventArgs e)
at System.Net.WebClient.DownloadFileOperationCompleted(Object arg)
at System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
at System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0

Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1487096
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
07/12/2020 13:32
Authentication skipped because (<http://www.sambamarket.com/>) is not
accessible.

E N D #####
07/12/2020 13:32

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR

User: SOFT
Date: 07/12/2020
Time: 12:32

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.AggregateException
Message: One or more errors occurred.
Source: mscorlib
Stack Trace: at System.Threading.Tasks.Task.ThrowIfExceptional(Boolean includeTaskCanceledExceptions)
at System.Threading.Tasks.Task`1.GetResultCore(Boolean waitCompletionNotification)
at System.Threading.Tasks.Task`1.get_Result()
at Samba.Infrastructure.Helpers.Utility.CanAccessHost(String host, Action`1 callback)

Inner Exception 1

Type: System.Net.Http.HttpRequestException
Message: An error occurred while sending the request.
Source:

Inner Exception 2

Type: System.Net.WebException
Message: The remote name could not be resolved: 'www.sambamarket.com'
Source: System
Stack Trace: at System.Net.HttpWebRequest.EndGetResponse(IAsyncResult asyncResult)
at System.Net.Http.HttpClientHandler.GetResponseCallback(IAsyncResult ar)

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541

System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1553448
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
07/12/2020 13:33
License should update because remote licenses count is different than
local count. (r:6 <> l:5)
E N D #####
07/12/2020 13:33
Licenses Updating...
E N D #####
07/12/2020 13:33
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q

MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
3- Remote Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-

E N D #####
07/12/2020 13:33
License Updating...V5PROLicense
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...metriKstandard
E N D #####
07/12/2020 13:33
Licenses Updated.
E N D #####
07/12/2020 13:33
License should update because forced.
E N D #####
07/12/2020 13:33
Licenses Updating...
E N D #####
07/12/2020 13:33
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q

MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
3- Remote Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-

E N D #####
07/12/2020 13:33
License Updating...V5PROLicense
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...metriKstandard
E N D #####
07/12/2020 13:33
Licenses Updated.
E N D #####
07/12/2020 13:33
License should update because licenses cleared.
E N D #####
07/12/2020 13:33
Remote App Key updated.
E N D #####
07/12/2020 13:33
Licenses Updating...
E N D #####
07/12/2020 13:33
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ

MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
3- Remote Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-

E N D #####
07/12/2020 13:33
License Updating...V5PROLicense
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...MobileClient
E N D #####
07/12/2020 13:33
License Updating...metriKstandard
E N D #####
07/12/2020 13:33
Licenses Updated.
E N D #####
07/12/2020 13:33
License should update because forced.
E N D #####
07/12/2020 13:33
Licenses Updating...
E N D #####
07/12/2020 13:33
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:
V5PROLicense-
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ

MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-
3- Remote Licenses:
V5PROLicense-e3135a4c-9976-5178-a85e-9e0c4f9a2ec6
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjxEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metriKstandard-

E N D

07/12/2020 13:33

License Updating...V5PROLicense

E N D

07/12/2020 13:33

License Updating...MobileClient

E N D

07/12/2020 13:33

License Updating...MobileClient

E N D

07/12/2020 13:33

License Updating...MobileClient

E N D

07/12/2020 13:33

License Updating...MobileClient

E N D

07/12/2020 13:33

License Updating...metriKstandard

E N D

07/12/2020 13:33

Licenses Updated.

E N D

07/12/2020 17:51

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

07/12/2020 17:51

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

07/12/2020 17:51

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

07/12/2020 17:51

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
07/12/2020 17:51
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:19
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
08/12/2020 10:19
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:19
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:19
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:19
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:21
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
08/12/2020 10:21
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:21
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:21
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:21
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:32
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
08/12/2020 10:32
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/12/2020 10:32
```

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/12/2020 10:32
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/12/2020 10:32
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/12/2020 11:46
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
08/12/2020 11:46
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/12/2020 11:46
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/12/2020 11:46
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/12/2020 11:46
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/12/2020 08:56
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
09/12/2020 08:56
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/12/2020 08:56
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/12/2020 08:56
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/12/2020 08:56
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/12/2020 09:49
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
09/12/2020 09:49
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 09:49
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 09:49
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 09:49
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 10:38
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
09/12/2020 10:38
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 10:38
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 10:39
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 10:39
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 22:38
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
09/12/2020 22:38
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 22:38
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 22:38
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/12/2020 22:38
```


License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/12/2020 12:36

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 10/12/2020
Time: 11:36

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

```

    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript

```

```

(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()

```

```
at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectContext
textAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
Type:          System.ComponentModel.Win32Exception
Message:       Le fichier spécifié est introuvable
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2513644
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
10/12/2020 12:47

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 10/12/2020
Time: 11:47

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential

```

credential, Object providerInfo, String newPassword, SecureString
newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString
userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool
pool, String accessToken, Boolean applyTransientFaultHandling)
    at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionO
ptions options, DbConnectionPoolKey poolKey, Object
poolGroupProviderInfo, DbConnectionPool pool, DbConnection
owningConnection, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbCon
nectionPool pool, DbConnection owningObject, DbConnectionOptions options,
DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,

```

```

TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<UsingConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript(Nullable`1 commandTimeout, DbConnection sqlConnection, String createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnection connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContext internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<CreateInitializationAction>b__0()

```

```

    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction (Action action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b__58_0 (InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction (TInput input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction (Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEntityType()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectContextAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor (CommonDbContext context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.ShouldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.CreateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:   Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0

```


DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2297344
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.10586

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
10/12/2020 12:52

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 10/12/2020

Time: 11:52

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException

Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source: .Net SqlClient Data Provider

Stack Trace: at

System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling)

at

System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)

at

System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)

at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal oldConnection, DbConnectionInternal& connection)

```
at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal (DbConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection (DbConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
at
System.Data.SqlClient.SqlConnection.TryOpenInner (TaskCompletionSource`1 retry)
at System.Data.SqlClient.SqlConnection.TryOpen (TaskCompletionSource`1 retry)
at System.Data.SqlClient.SqlConnection.Open ()
at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c.<Open>b__13_0 (DbConnection t, DbConnectionInterceptionContext c)
at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch [TTarget, TInterceptionContext] (TTarget target, Action`2 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open (DbConnection connection, DbInterceptionContext interceptionContext)
at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<UsingConnection>b__0 ()
at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute (Action operation)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection (DbConnection sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection (DbConnection sqlConnection, Action`1 act)
at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript (Nullable`1 commandTimeout, DbConnection sqlConnection, String createDatabaseScript)
at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase (DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase (DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase ()
at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create (DbConnection connection)
```

```

    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(Interna
lContext internalContext, Func`3 createMigrator,ObjectContext ob
jectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(Obje
ctContext objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext
context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(Data
Context context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitialization
Action(Action action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitial
ization()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDa
tatabase>b__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(T
Input input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDataba
seAction(Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDataba
se()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingFo
rKnownEntityTypeTypes()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.I
ObjectContextAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(Comm
onDbContext context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationS
ervice.get_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationS
ervice.ShouldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationS
ervice.CreateData()

```

```
at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
```

```
Type: System.ComponentModel.Win32Exception
```

```
Message: Le fichier spécifié est introuvable
```

```
Source:
```

```
-----
```

```
[Assembly Info]
```

```
mscorlib, Version=4.0.0.0
```

```
PresentationFramework, Version=4.0.0.0
```

```
PresentationCore, Version=4.0.0.0
```

```
System, Version=4.0.0.0
```

```
WindowsBase, Version=4.0.0.0
```

```
Samba.Services, Version=5.3.7390.41537
```

```
System.ComponentModel.Composition, Version=4.0.0.0
```

```
System.Configuration, Version=4.0.0.0
```

```
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
```

```
System.Xaml, Version=4.0.0.0
```

```
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
```

```
Samba.Presentation.Services, Version=5.3.7390.41539
```

```
Samba.Presentation.Common, Version=5.3.7390.41541
```

```
System.Drawing, Version=4.0.0.0
```

```
Samba.Domain, Version=5.3.7390.41536
```

```
Microsoft.Practices.Prism, Version=4.0.0.0
```

```
System.Core, Version=4.0.0.0
```

```
Samba.Infrastructure, Version=5.3.7390.41533
```

```
DevExpress.Data.v17.2, Version=17.2.13.0
```

```
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
```

```
Samba.Localization, Version=5.3.7390.41534
```

```
Samba.Persistance, Version=5.3.7390.41536
```

```
FastButton, Version=1.0.0.0
```

```
-----
```

```
[System Info]
```

```
Operating System
```

```
-Microsoft Windows 10 Professionnel
```

```
--CodeSet = 1252
```

```
--CSDVersion =
```

```
--CurrentTimeZone = 60
```

```
--FreePhysicalMemory = 2294492
```

```
--OSArchitecture = 64 bits
```

```
--OSLanguage = 1036
```

```
--ServicePackMajorVersion = 0
```

```
--ServicePackMinorVersion = 0
```

```
--Version = 10.0.10586
```

```
Machine
```

```
-BAR
```

```
--Manufacturer = Hewlett-Packard
```

--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
10/12/2020 22:48
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
10/12/2020 22:48
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/12/2020 22:48
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/12/2020 22:48
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/12/2020 22:48
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 09:46
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
11/12/2020 09:46
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 09:46
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 09:46
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 09:46
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 10:14
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
11/12/2020 10:14

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 10:14
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 10:14
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 10:14
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 21:57
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
11/12/2020 21:57
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 21:57
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 21:57
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/12/2020 21:57
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/12/2020 11:07
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
12/12/2020 11:07
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/12/2020 11:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/12/2020 11:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/12/2020 11:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
12/12/2020 22:08
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
12/12/2020 22:08
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/12/2020 22:08
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/12/2020 22:08
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/12/2020 22:08
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/12/2020 19:43
```

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 13/12/2020
Time: 18:43

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString


```

userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool
pool, String accessToken, Boolean applyTransientFaultHandling,
SqlAuthenticationProviderManager sqlAuthProviderManager)
    at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionO
ptions options, DbConnectionPoolKey poolKey, Object
poolGroupProviderInfo, DbConnectionPool pool, DbConnection
owningConnection, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbCon
nectionPool pool, DbConnection owningObject, DbConnectionOptions options,
DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,

```

```
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<UsingConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(DbConnection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript(Nullable`1 commandTimeout, DbConnection sqlConnection, String createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnection connection, Nullable`1 commandTimeout, StoreItemCollection storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnection connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContext internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<CreateInitializationAction>b__0()
```

```

    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction (Action action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b__58_0 (InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction (TInput input)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction (Action`1 action)
    at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
    at System.Data.Entity.Internal.InternalContext.Initialize()
    at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEntityType()
    at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectContextAdapter.get_ObjectContext()
    at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor (CommonDbContext context)
    at Samba.Persistance.Data.WorkspaceFactory.Create()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get_Workspace()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.ShouldCreateData()
    at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.CreateData()
    at Samba.Presentation.Bootstrapper.InitializeShell()

```

```

Inner Exception 1
Type:          System.ComponentModel.Win32Exception
Message:       Le fichier spécifié est introuvable
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0

```

DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2263604
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18362

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
13/12/2020 19:45

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 13/12/2020

Time: 18:45

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException

Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source: .Net SqlClient Data Provider

Stack Trace: at

System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling, SqlAuthenticationProviderManager sqlAuthProviderManager)

at

System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)

at

System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)

at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject, DbConnectionOptions userOptions, DbConnectionInternal oldConnection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate, Boolean onlyOneCheckConnection, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, TaskCompletionSource`1 retry, DbConnectionOptions userOptions, DbConnectionInternal& connection)

at

System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions

```

userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal (D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection (DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner (TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen (TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open ()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0 (DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch [TTarget, TInterceptionContext] (TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n (DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0 ()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute (Action
operation)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection (DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection (Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase (DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase (DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase ()

```

```
        at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
        at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
        at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
        at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
        at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
        at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
        at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
        at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
        at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
        at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
        at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
        at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
        at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)
        at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(A
ction`1 action)
        at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
        at System.Data.Entity.Internal.InternalContext.Initialize()
        at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
        at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
        at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
        at Samba.Persistance.Data.WorkspaceFactory.Create()
        at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
        at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
```

```
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
at Samba.Presentation.Bootstrapper.InitializeShell()
```

```
Inner Exception 1
Type:      System.ComponentModel.Win32Exception
Message:    Le fichier spécifié est introuvable
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2308436
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18362
```


Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
13/12/2020 19:48

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: en
DB: SQ
Machine: BAR
User: SOFT
Date: 13/12/2020
Time: 18:48

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.SqlClient.SqlException
Message: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)
Source: .Net SqlClient Data Provider
Stack Trace: at
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, Object providerInfo, String newPassword, SecureString newSecurePassword, Boolean redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, DbConnectionPool pool, String accessToken, Boolean applyTransientFaultHandling, SqlAuthenticationProviderManager sqlAuthProviderManager)
at
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, Object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
at
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbCon

```

nectionPool pool, DbConnection owningObject, DbConnectionOptions options,
DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
    at System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection
owningObject, DbConnectionOptions userOptions, DbConnectionInternal
oldConnection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, UInt32 waitForMultipleObjectsTimeout, Boolean allowCreate,
Boolean onlyOneCheckConnection, DbConnectionOptions userOptions,
DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection
owningObject, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal& connection)
    at
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnectio
n owningConnection, TaskCompletionSource`1 retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, DbConnectionInternal&
connection)
    at
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(D
bConnection outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.ProviderBase.DbConnectionClosed.TryOpenConnection(DbConnectio
n outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource`1 retry, DbConnectionOptions userOptions)
    at
System.Data.SqlClient.SqlConnection.TryOpenInner(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource`1
retry)
    at System.Data.SqlClient.SqlConnection.Open()
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.<>c
.<Open>b__13_0(DbConnection t, DbConnectionInterceptionContext c)
    at
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext](TTarget target, Action`2 operation,
TInterceptionContext interceptionContext, Action`3 executing, Action`3
executed)
    at
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Ope
n(DbConnection connection, DbInterceptionContext interceptionContext)
    at
System.Data.Entity.SqlServer.SqlProviderServices.<>c__DisplayClass60_0.<U
singConnection>b__0()
    at
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute(Action
operation)

```

```

    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingConnection(DbConnec
tion sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(Db
Connection sqlConnection, Action`1 act)
    at
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript
(Nullable`1 commandTimeout, DbConnection sqlConnection, String
createDatabaseScript)
    at
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConne
ction connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at
System.Data.Entity.Core.Common.DbProviderServices.CreateDatabase(DbConnec
tion connection, Nullable`1 commandTimeout, StoreItemCollection
storeItemCollection)
    at System.Data.Entity.Core.Objects.ObjectContext.CreateDatabase()
    at
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnecti
on connection)
    at
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
    at System.Data.Entity.Migrations.DbMigrator.Update(String
targetMigration)
    at
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContex
t internalContext, Func`3 createMigrator, ObjectContext objectContext)
    at
System.Data.Entity.Internal.InternalContext.CreateDatabase(ObjectContext
objectContext, DatabaseExistenceState existenceState)
    at System.Data.Entity.Database.Create(DatabaseExistenceState
existenceState)
    at Samba.Persistance.Data.Initializer.Create(CommonDbContext context)
    at Samba.Persistance.Data.Initializer.InitializeDatabase(DataContext
context)
    at
System.Data.Entity.Internal.InternalContext.<>c__DisplayClass66_0`1.<Crea
teInitializationAction>b__0()
    at
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(A
ction action)
    at
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization
()
    at
System.Data.Entity.Internal.LazyInternalContext.<>c.<InitializeDatabase>b
__58_0(InternalContext c)
    at System.Data.Entity.Internal.RetryAction`1.PerformAction(TInput
input)

```

```
at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(
Action`1 action)
at
System.Data.Entity.Internal.LazyInternalContext.InitializeDatabase()
at System.Data.Entity.Internal.InternalContext.Initialize()
at
System.Data.Entity.Internal.InternalContext.ForceOSpaceLoadingForKnownEnt
ityTypes()
at
System.Data.Entity.DbContext.System.Data.Entity.Infrastructure.IObjectCon
textAdapter.get_ObjectContext()
at Samba.Infrastructure.Data.SqlData.EFWorkspace..ctor(CommonDbContext
context)
at Samba.Persistance.Data.WorkspaceFactory.Create()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.get
_Workspace()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Sho
uldCreateData()
at
Samba.Presentation.Services.Common.DataGeneration.DataCreationService.Cre
ateData()
at Samba.Presentation.Bootstrapper.InitializeShell()
```

Inner Exception 1
Type: System.ComponentModel.Win32Exception
Message: Le fichier spécifié est introuvable
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0

Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 2296300
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18362

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

13/12/2020 22:03

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

13/12/2020 22:03

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

13/12/2020 22:03

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

13/12/2020 22:03

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

13/12/2020 22:03

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

14/12/2020 22:07

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
14/12/2020 22:07
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/12/2020 22:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/12/2020 22:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/12/2020 22:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/12/2020 22:30
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
15/12/2020 22:30
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/12/2020 22:30
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/12/2020 22:30
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/12/2020 22:30
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/12/2020 22:31
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
16/12/2020 22:31
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/12/2020 22:31
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/12/2020 22:31
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
16/12/2020 22:31
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/12/2020 22:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
17/12/2020 22:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/12/2020 22:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/12/2020 22:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/12/2020 22:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/12/2020 22:31
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
18/12/2020 22:31
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/12/2020 22:31
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/12/2020 22:31
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/12/2020 22:31
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/12/2020 22:02
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
19/12/2020 22:02
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/12/2020 22:02
```

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/12/2020 22:02
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/12/2020 22:02
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/12/2020 22:10
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
20/12/2020 22:10
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/12/2020 22:10
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/12/2020 22:10
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/12/2020 22:10
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/12/2020 22:04
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
21/12/2020 22:04
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/12/2020 22:04
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/12/2020 22:04
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/12/2020 22:04
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/12/2020 22:31
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41


```
##### E N D #####
22/12/2020 22:31
License settings clearing for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
22/12/2020 22:31
License settings cleared for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
22/12/2020 22:31
License settings restoring for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
22/12/2020 22:31
License settings restored for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/12/2020 22:27
Manage License for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
23/12/2020 22:27
License settings clearing for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/12/2020 22:27
License settings cleared for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/12/2020 22:28
License settings restoring for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/12/2020 22:28
License settings restored for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/12/2020 14:38
Manage License for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
24/12/2020 14:38
License settings clearing for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/12/2020 14:38
License settings cleared for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/12/2020 14:38
License settings restoring for mediterraneanee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/12/2020 14:38
```

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 01:55
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
25/12/2020 01:55
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 01:55
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 01:55
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 01:55
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 22:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
25/12/2020 22:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 22:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 22:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/12/2020 22:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/12/2020 21:59
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
26/12/2020 21:59
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/12/2020 21:59
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
26/12/2020 21:59
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/12/2020 21:59
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/12/2020 21:59
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
27/12/2020 21:59
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/12/2020 21:59
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/12/2020 21:59
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/12/2020 21:59
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/12/2020 22:09
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
28/12/2020 22:09
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/12/2020 22:09
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/12/2020 22:09
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/12/2020 22:09
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/12/2020 22:05
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
29/12/2020 22:05
```

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
29/12/2020 22:05
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
29/12/2020 22:05
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
29/12/2020 22:05
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/12/2020 08:57
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
31/12/2020 08:57
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/12/2020 08:57
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/12/2020 08:57
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/12/2020 08:57
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/01/2021 09:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
02/01/2021 09:16
Restore License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/01/2021 09:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/01/2021 09:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/01/2021 09:16
License restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
02/01/2021 09:19
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
02/01/2021 09:19
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/01/2021 09:19
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/01/2021 09:19
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/01/2021 09:19
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/01/2021 10:33
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/01/2021 10:33
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/01/2021 10:33
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/01/2021 10:33
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/01/2021 10:33
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/01/2021 22:42
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/01/2021 22:42
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/01/2021 22:42
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/01/2021 22:42
```

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/01/2021 22:42
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/01/2021 21:58
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
04/01/2021 21:58
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/01/2021 21:58
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/01/2021 21:58
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/01/2021 21:58
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 11:19
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/01/2021 11:19
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 11:19
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 11:19
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 11:19
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 11:41
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/01/2021 11:41
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
05/01/2021 11:41
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 11:41
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 11:41
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 11:43
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
05/01/2021 11:43
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 11:43
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 11:43
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 11:43
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 12:08
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
05/01/2021 12:08
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 12:08
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 12:08
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 12:08
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 12:12
```

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/01/2021 12:12
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:12
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:12
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:12
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:36
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/01/2021 12:36
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:36
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:36
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:36
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:39
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/01/2021 12:39
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:39
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/01/2021 12:40
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True


```
##### E N D #####
05/01/2021 12:40
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 21:53
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
05/01/2021 21:53
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 21:53
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 21:53
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/01/2021 21:53
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/01/2021 08:53
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
07/01/2021 08:53
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/01/2021 08:53
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/01/2021 08:53
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/01/2021 08:53
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/01/2021 22:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
07/01/2021 22:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/01/2021 22:00
```

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/01/2021 22:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/01/2021 22:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 09:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
09/01/2021 09:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 09:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 09:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 09:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 23:09
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
09/01/2021 23:09
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 23:09
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 23:09
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/01/2021 23:09
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/01/2021 00:03
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
12/01/2021 00:03
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/01/2021 00:03
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/01/2021 00:03
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/01/2021 00:03
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/01/2021 23:51
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
12/01/2021 23:51
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/01/2021 23:51
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/01/2021 23:51
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/01/2021 23:51
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/01/2021 23:50
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
13/01/2021 23:50
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/01/2021 23:50
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/01/2021 23:50
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/01/2021 23:50
```

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/01/2021 23:12
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
14/01/2021 23:12
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/01/2021 23:12
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/01/2021 23:12
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/01/2021 23:12
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/01/2021 23:30
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
15/01/2021 23:30
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/01/2021 23:30
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/01/2021 23:30
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/01/2021 23:30
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/01/2021 23:40
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
16/01/2021 23:40
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/01/2021 23:40
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
16/01/2021 23:40
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
16/01/2021 23:40
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/01/2021 23:38
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
17/01/2021 23:38
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/01/2021 23:38
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/01/2021 23:38
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/01/2021 23:38
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/01/2021 23:42
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
18/01/2021 23:42
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/01/2021 23:42
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/01/2021 23:42
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/01/2021 23:42
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/01/2021 23:15
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
19/01/2021 23:15
```

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/01/2021 23:15
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/01/2021 23:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/01/2021 23:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/01/2021 23:29
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
20/01/2021 23:29
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/01/2021 23:29
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/01/2021 23:29
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/01/2021 23:29
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/01/2021 23:18
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
21/01/2021 23:18
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/01/2021 23:18
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/01/2021 23:18
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/01/2021 23:18
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
22/01/2021 23:50
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
22/01/2021 23:50
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
22/01/2021 23:50
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
22/01/2021 23:50
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
22/01/2021 23:50
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/01/2021 23:20
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
23/01/2021 23:20
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/01/2021 23:20
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/01/2021 23:20
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/01/2021 23:20
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/01/2021 23:50
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
24/01/2021 23:50
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/01/2021 23:50
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/01/2021 23:50
```

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/01/2021 23:50
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/01/2021 23:22
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
25/01/2021 23:22
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/01/2021 23:22
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/01/2021 23:22
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/01/2021 23:22
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/01/2021 23:13
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
26/01/2021 23:13
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/01/2021 23:13
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/01/2021 23:13
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/01/2021 23:13
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/01/2021 23:23
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
27/01/2021 23:23
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True


```
##### E N D #####
27/01/2021 23:23
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/01/2021 23:23
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/01/2021 23:23
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/01/2021 23:28
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
28/01/2021 23:28
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/01/2021 23:28
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/01/2021 23:28
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/01/2021 23:28
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/01/2021 23:54
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
29/01/2021 23:54
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/01/2021 23:54
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/01/2021 23:54
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/01/2021 23:54
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
31/01/2021 00:38
```

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
31/01/2021 00:38
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/01/2021 00:38
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/01/2021 00:38
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/01/2021 00:38
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/01/2021 23:08
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
31/01/2021 23:08
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/01/2021 23:08
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/01/2021 23:08
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/01/2021 23:08
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/02/2021 23:17
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
01/02/2021 23:17
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/02/2021 23:17
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/02/2021 23:17
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
01/02/2021 23:17
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/02/2021 23:17
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
02/02/2021 23:17
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/02/2021 23:17
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/02/2021 23:17
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/02/2021 23:17
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/02/2021 23:52
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
03/02/2021 23:52
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/02/2021 23:52
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/02/2021 23:52
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/02/2021 23:52
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/02/2021 23:06
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
04/02/2021 23:06
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/02/2021 23:06
```

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/02/2021 23:06
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/02/2021 23:06
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/02/2021 23:46
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/02/2021 23:46
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/02/2021 23:46
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/02/2021 23:46
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/02/2021 23:46
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/02/2021 23:31
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
06/02/2021 23:31
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/02/2021 23:31
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/02/2021 23:31
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/02/2021 23:31
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/02/2021 23:58
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
07/02/2021 23:58
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/02/2021 23:58
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/02/2021 23:58
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/02/2021 23:58
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 08:19
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
09/02/2021 08:19
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 08:19
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 08:19
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 08:19
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 22:48
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
09/02/2021 22:48
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 22:48
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 22:49
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/02/2021 22:49
```

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/02/2021 23:32
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
10/02/2021 23:32
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/02/2021 23:32
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/02/2021 23:32
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/02/2021 23:32
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/02/2021 23:34
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
11/02/2021 23:34
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/02/2021 23:34
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/02/2021 23:34
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/02/2021 23:34
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/02/2021 23:33
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
12/02/2021 23:33
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/02/2021 23:33
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
12/02/2021 23:33
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/02/2021 23:33
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/02/2021 01:32
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
14/02/2021 01:32
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/02/2021 01:32
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/02/2021 01:32
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/02/2021 01:32
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
15/02/2021 00:05
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
15/02/2021 00:05
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
15/02/2021 00:05
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
15/02/2021 00:05
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
15/02/2021 00:05
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
15/02/2021 23:57
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
15/02/2021 23:57
```

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/02/2021 23:57
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/02/2021 23:57
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/02/2021 23:57
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/02/2021 23:26
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
16/02/2021 23:26
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/02/2021 23:26
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/02/2021 23:26
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/02/2021 23:26
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/02/2021 23:30
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
17/02/2021 23:30
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/02/2021 23:30
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/02/2021 23:30
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/02/2021 23:30
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True


```
##### E N D #####
18/02/2021 09:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
18/02/2021 09:16
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/02/2021 09:16
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/02/2021 09:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/02/2021 09:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/02/2021 12:25
License should update because local license count is zero.
##### E N D #####
18/02/2021 12:25
Licenses Updating...
##### E N D #####
18/02/2021 12:25
1- APPKEY: cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
2- Local Licenses:

3- Remote Licenses:
V5PROLicense-e3135a4c-9976-5178-a85e-9e0c4f9a2ec6
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiMiQgqKo5XSMZt23Wq8KIY9
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiOhCOifj+8EM08OdfjXEakQ
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiPkMpn+J4eozYxq+LNZbU+q
MobileClient-
TND2KMzmAAyMHZFqAUMXPL30dkmedrC0e+eZajKhBiNQDe3MLci9NpQLzA0wh+Lk
metrikstandard-

##### E N D #####
18/02/2021 12:25
License Updating...V5PROLicense
##### E N D #####
18/02/2021 12:25
License Updating...MobileClient
##### E N D #####
18/02/2021 12:25
License Updating...MobileClient
##### E N D #####
18/02/2021 12:25
```

```
License Updating...MobileClient
##### E N D #####
18/02/2021 12:25
License Updating...MobileClient
##### E N D #####
18/02/2021 12:25
License Updating...metrikstandard
##### E N D #####
18/02/2021 12:25
Licenses Updated.
##### E N D #####
18/02/2021 12:54
```

[General Info]

```
Application: SambaPOS
Version:      5.3.0
Region:       fr
DB:           SQ
Machine:      BAR
User:         SOFT
Date:         18/02/2021
Time:         11:54
```

User Explanation:

```
SOFT said ""
-----
```

[Exception Info 1]

```
Top-level Exception
Type:      System.ComponentModel.Win32Exception
Message:   L'opération a été annulée par l'utilisateur
Source:    System
Stack Trace: à
System.Diagnostics.Process.StartWithShellExecuteEx(ProcessStartInfo
startInfo)
    à System.Diagnostics.Process.Start()
    à
Samba.Presentation.ClientLibrary.Modules.ManagementModule.MetrikView.Comp
leted(Object sender, AsyncCompletedEventArgs e) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Presentation.ClientLibrary\Modules\ManagementModule\MetrikView.
xaml.cs:ligne 75
    à System.Net.WebClient.OnDownloadFileCompleted(AsyncCompletedEventArgs
e)
    à System.Net.WebClient.DownloadFileOperationCompleted(Object arg)
    à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate
callback, Object args, Int32 numArgs)
    à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object
source, Delegate callback, Object args, Int32 numArgs, Delegate
catchHandler)
```

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1590936
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0

```
--ServicePackMinorVersion = 0
--Version = 10.0.18363
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

```
##### E N D #####
19/02/2021 00:08
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
19/02/2021 00:08
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/02/2021 00:08
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/02/2021 00:08
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/02/2021 00:08
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/02/2021 23:49
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
19/02/2021 23:49
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/02/2021 23:49
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/02/2021 23:49
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/02/2021 23:49
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
```

20/02/2021 22:59
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
20/02/2021 22:59
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/02/2021 22:59
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/02/2021 22:59
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/02/2021 22:59
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/02/2021 23:50
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
21/02/2021 23:50
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/02/2021 23:50
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/02/2021 23:50
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/02/2021 23:50
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/02/2021 22:57
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
22/02/2021 22:57
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/02/2021 22:57
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/02/2021 22:57

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/02/2021 22:57
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/02/2021 23:27
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
23/02/2021 23:27
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/02/2021 23:27
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/02/2021 23:27
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/02/2021 23:27
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/02/2021 23:26
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
24/02/2021 23:26
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/02/2021 23:26
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/02/2021 23:26
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/02/2021 23:26
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/02/2021 23:20
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
25/02/2021 23:20
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
25/02/2021 23:20
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
25/02/2021 23:20
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
25/02/2021 23:20
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/02/2021 23:59
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
26/02/2021 23:59
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/02/2021 23:59
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/02/2021 23:59
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/02/2021 23:59
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/02/2021 23:18
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
27/02/2021 23:18
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/02/2021 23:18
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/02/2021 23:18
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/02/2021 23:18
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/02/2021 23:03
```

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
28/02/2021 23:03
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/02/2021 23:03
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/02/2021 23:03
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/02/2021 23:03
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/03/2021 09:13
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
01/03/2021 09:13
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/03/2021 09:13
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/03/2021 09:13
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/03/2021 09:13
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/03/2021 23:33
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
01/03/2021 23:33
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/03/2021 23:33
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/03/2021 23:33
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D #####
01/03/2021 23:33
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/03/2021 22:52
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
02/03/2021 22:52
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/03/2021 22:52
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/03/2021 22:52
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/03/2021 22:52
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/03/2021 23:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
03/03/2021 23:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/03/2021 23:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/03/2021 23:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/03/2021 23:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 09:19
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
04/03/2021 09:19
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 09:19

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 09:19
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 09:19
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 23:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
04/03/2021 23:16
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 23:16
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 23:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/03/2021 23:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/03/2021 08:24
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
06/03/2021 08:24
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/03/2021 08:24
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/03/2021 08:24
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/03/2021 08:24
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/03/2021 23:13
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
06/03/2021 23:13
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/03/2021 23:13
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/03/2021 23:13
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/03/2021 23:13
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/03/2021 23:13
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
07/03/2021 23:13
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/03/2021 23:13
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/03/2021 23:13
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/03/2021 23:13
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/03/2021 23:24
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
08/03/2021 23:24
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/03/2021 23:24
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/03/2021 23:24
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/03/2021 23:24
```

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/03/2021 23:11
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
09/03/2021 23:11
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/03/2021 23:11
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/03/2021 23:11
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/03/2021 23:11
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/03/2021 23:56
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
10/03/2021 23:56
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/03/2021 23:56
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/03/2021 23:56
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/03/2021 23:56
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/03/2021 23:02
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
11/03/2021 23:02
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/03/2021 23:02
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
11/03/2021 23:02
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/03/2021 23:02
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/03/2021 23:18
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
12/03/2021 23:18
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/03/2021 23:18
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/03/2021 23:18
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/03/2021 23:18
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/03/2021 23:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
13/03/2021 23:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/03/2021 23:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/03/2021 23:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/03/2021 23:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/03/2021 22:58
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
14/03/2021 22:58
```

License settings clearing for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/03/2021 22:58
License settings cleared for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/03/2021 22:58
License settings restoring for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/03/2021 22:58
License settings restored for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 08:28
Manage License for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
16/03/2021 08:28
License settings clearing for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 08:28
License settings cleared for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 08:28
License settings restoring for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 08:28
License settings restored for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 23:10
Manage License for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
16/03/2021 23:10
License settings clearing for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 23:10
License settings cleared for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 23:10
License settings restoring for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/03/2021 23:10
License settings restored for mediterranean@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D #####
17/03/2021 23:35
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
17/03/2021 23:35
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/03/2021 23:35
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/03/2021 23:35
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/03/2021 23:35
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
18/03/2021 23:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
18/03/2021 23:16
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
18/03/2021 23:16
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
18/03/2021 23:17
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
18/03/2021 23:17
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/03/2021 23:43
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
19/03/2021 23:43
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/03/2021 23:43
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/03/2021 23:43

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/03/2021 23:43
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/03/2021 22:53
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
20/03/2021 22:53
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/03/2021 22:53
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/03/2021 22:53
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/03/2021 22:53
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/03/2021 23:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
21/03/2021 23:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/03/2021 23:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/03/2021 23:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/03/2021 23:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/03/2021 23:18

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr

DB: SQ
Machine: BAR
User: SOFT
Date: 22/03/2021
Time: 22:18

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

```

    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQuery
Provider.Execute[TResult] (Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource] (IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T] (Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor (I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 191
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 25
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StopWorkPeriod(String description)

Inner Exception 1
Type:          System.Data.SqlClient.SqlException
Message:       Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:        .Net SqlClient Data Provider
Stack Trace:   à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()

```

```

    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537

System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1590520
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
22/03/2021 23:21

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR

User: SOFT
Date: 22/03/2021
Time: 22:21

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

```

    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 191
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 25
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StopWorkPeriod(String description)

```

Inner Exception 1

```

Type:      System.Data.SqlClient.SqlException
Message:    Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:     .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean

```

```

isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0

```

DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1554740
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
23/03/2021 08:25

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021

Time: 07:25

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException

Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

```

    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T] (Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 191
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 25
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StopWorkPeriod(String description)

```

Inner Exception 1

```

Type:          System.Data.SqlClient.SqlException
Message:       Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:        .Net SqlClient Data Provider
Stack Trace:   à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)

```

```

    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

```

Type:      System.ComponentModel.Win32Exception
Message:    Dépassement du délai d'attente
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0

```

Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1567268
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
23/03/2021 08:25

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 07:25

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

à

Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)

```

    à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 191
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 25
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StopWorkPeriod(String description)

```

Inner Exception 1

```

Type:          System.Data.SqlClient.SqlException
Message:       Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:        .Net SqlClient Data Provider
Stack Trace:   à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)

```

```

    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0

```

Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1495628
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
23/03/2021 08:33

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 07:33

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

à

Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)

à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)

à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)

à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 191

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:ligne 25

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StopWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String

```

method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

```

Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0

```

System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1489520
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
23/03/2021 08:34

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 07:34

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException

Message: An error occurred while executing the command definition.

See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

à

Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)

à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)

à

Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)

à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.ConsumptionBuilder.cs:
ligne 31

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 191

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodPro
cessor.cs:ligne 25

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StopWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)

```

    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533

```

DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1467064
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

23/03/2021 08:35

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 07:35

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao

```
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans  
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-  
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:  
ligne 31
```

```
à  
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer  
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans  
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-  
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li  
gne 191
```

```
à  
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess  
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod  
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-  
v5-  
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro  
cessor.cs:ligne 25
```

```
à  
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl  
ient.StopWorkPeriod(String description)
```

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)

```

    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534

```

Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1468024
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
23/03/2021 08:47

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 07:47

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

```

Source:      EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-

```

pro\Samba.Services.Implementations.InventoryModule.ConsumptionBuilder.cs:
ligne 31

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 191

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodPro
cessor.cs:ligne 25

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StopWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)

à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)

```

    à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

```

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1516412
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
23/03/2021 08:49

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 07:49

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework


```

Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31

```

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs: ligne 191

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs: ligne 25

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StopWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReaderDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)

```

à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

```

Inner Exception 2
Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:

```

```
-----
```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

```

```
-----
```

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1524300
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

23/03/2021 09:50

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 08:50

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute
[TResultType](ObjectContext context, ObjectParameterCollection
parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Fun
c`1 func, IDbExecutionStrategy executionStrategy, Boolean
startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResul
t](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1
forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic
.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1
source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(IC
acheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans

```

C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 191

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodPro
cessor.cs:ligne 25

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StopWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)

```
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1533268
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
23/03/2021 09:55

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 23/03/2021
Time: 08:55

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)


```

    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 191

```

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:ligne 25

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StopWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)

à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3

```
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader (Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader (CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =

```
--CurrentTimeZone = 60
--FreePhysicalMemory = 1415628
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

E N D

23/03/2021 10:02

[General Info]

```
Application: SambaPOS
Version:      5.3.0
Region:       fr
DB:           SQ
Machine:      BAR
User:         SOFT
Date:         23/03/2021
Time:         09:02
```

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

```
Type:          System.Data.Entity.Core.EntityCommandExecutionException
Message:       An error occurred while executing the command definition.
See the inner exception for details.
Source:        EntityFramework
Stack Trace:   à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
```

```

    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T] (Func`1 func, IDbExecutionStrategy executionStrategy, Boolean
startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult] (Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1
forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic
.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource] (IEnumerable`1
source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result] (IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult] (Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource] (IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T] (Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(IC
acheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodEnd(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 191
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodEnd(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkperiod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-

```

v5-

pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:ligne 25

à

Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StopWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException

Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à

System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)

à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)

à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior behavior)

à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)

à

System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)

à

System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)

```
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader (Co
mmandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader (CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1273852

```
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.18363
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

E N D

23/03/2021 23:00

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

23/03/2021 23:00

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

23/03/2021 23:00

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

23/03/2021 23:01

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

23/03/2021 23:01

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

24/03/2021 21:53

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

24/03/2021 21:53

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

24/03/2021 21:53

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

24/03/2021 21:53

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

24/03/2021 21:53

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/03/2021 22:06
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
25/03/2021 22:06
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/03/2021 22:06
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/03/2021 22:06
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/03/2021 22:06
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/03/2021 22:20
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
26/03/2021 22:20
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/03/2021 22:20
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/03/2021 22:20
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/03/2021 22:20
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/03/2021 22:37
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
27/03/2021 22:37
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/03/2021 22:37
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
27/03/2021 22:37
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/03/2021 22:37
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/03/2021 21:59
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
28/03/2021 21:59
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/03/2021 21:59
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/03/2021 21:59
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/03/2021 21:59
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/03/2021 22:04
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
29/03/2021 22:04
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/03/2021 22:04
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/03/2021 22:04
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/03/2021 22:04
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/03/2021 21:59
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
30/03/2021 21:59
```

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
30/03/2021 21:59
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
30/03/2021 21:59
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
30/03/2021 21:59
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/03/2021 21:58
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
31/03/2021 21:58
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/03/2021 21:58
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/03/2021 21:58
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/03/2021 21:58
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/04/2021 22:32
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
01/04/2021 22:32
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/04/2021 22:32
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/04/2021 22:32
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/04/2021 22:32
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
02/04/2021 21:46
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
02/04/2021 21:46
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/04/2021 21:46
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/04/2021 21:46
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/04/2021 21:46
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/04/2021 22:13
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
03/04/2021 22:13
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/04/2021 22:13
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/04/2021 22:13
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/04/2021 22:13
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/04/2021 22:02
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
04/04/2021 22:02
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/04/2021 22:02
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/04/2021 22:02
```

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/04/2021 22:02
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/04/2021 21:52
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/04/2021 21:52
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/04/2021 21:52
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/04/2021 21:52
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/04/2021 21:52
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/04/2021 22:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
06/04/2021 22:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/04/2021 22:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/04/2021 22:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/04/2021 22:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/04/2021 22:36
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
07/04/2021 22:36
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
07/04/2021 22:36
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/04/2021 22:36
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/04/2021 22:36
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/04/2021 22:04
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
08/04/2021 22:04
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/04/2021 22:04
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/04/2021 22:04
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/04/2021 22:04
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/04/2021 22:15
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
09/04/2021 22:15
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/04/2021 22:15
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/04/2021 22:15
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/04/2021 22:15
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/04/2021 22:07
```

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
10/04/2021 22:07
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/04/2021 22:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/04/2021 22:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/04/2021 22:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/04/2021 22:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
11/04/2021 22:16
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/04/2021 22:16
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/04/2021 22:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/04/2021 22:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/04/2021 21:53
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
12/04/2021 21:53
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/04/2021 21:53
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/04/2021 21:54
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
12/04/2021 21:54
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/04/2021 22:21
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
13/04/2021 22:21
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/04/2021 22:21
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/04/2021 22:22
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/04/2021 22:22
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/04/2021 22:03
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
14/04/2021 22:03
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/04/2021 22:03
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/04/2021 22:03
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/04/2021 22:03
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
15/04/2021 22:30
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
15/04/2021 22:30
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
15/04/2021 22:30
```


License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/04/2021 22:30
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/04/2021 22:30
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/04/2021 22:10
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
16/04/2021 22:10
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/04/2021 22:10
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/04/2021 22:10
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/04/2021 22:10
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/04/2021 22:07
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
17/04/2021 22:07
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/04/2021 22:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/04/2021 22:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/04/2021 22:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
18/04/2021 22:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
18/04/2021 22:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/04/2021 22:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/04/2021 22:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/04/2021 22:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/04/2021 22:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
19/04/2021 22:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/04/2021 22:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/04/2021 22:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/04/2021 22:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
20/04/2021 22:06
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
20/04/2021 22:06
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
20/04/2021 22:06
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
20/04/2021 22:06
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
20/04/2021 22:06
```

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/04/2021 22:40
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
21/04/2021 22:40
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/04/2021 22:40
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/04/2021 22:40
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/04/2021 22:40
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/04/2021 22:09
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
22/04/2021 22:09
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/04/2021 22:09
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/04/2021 22:09
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/04/2021 22:09
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/04/2021 22:27
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
23/04/2021 22:27
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/04/2021 22:27
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
23/04/2021 22:27
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/04/2021 22:27
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/04/2021 21:43
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
24/04/2021 21:43
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/04/2021 21:43
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/04/2021 21:43
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
24/04/2021 21:43
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
25/04/2021 22:07
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
25/04/2021 22:07
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
25/04/2021 22:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
25/04/2021 22:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
25/04/2021 22:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/04/2021 22:09
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
26/04/2021 22:09
```

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/04/2021 22:09
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/04/2021 22:09
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/04/2021 22:09
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/04/2021 22:17
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
27/04/2021 22:17
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/04/2021 22:17
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/04/2021 22:17
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/04/2021 22:17
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/04/2021 22:53
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
28/04/2021 22:53
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/04/2021 22:53
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/04/2021 22:54
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/04/2021 22:54
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
29/04/2021 22:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
29/04/2021 22:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/04/2021 22:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/04/2021 22:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/04/2021 22:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/04/2021 22:14
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
30/04/2021 22:14
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/04/2021 22:14
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/04/2021 22:14
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/04/2021 22:14
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/05/2021 22:19
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
01/05/2021 22:19
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/05/2021 22:19
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/05/2021 22:19
```

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/05/2021 22:19
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/05/2021 22:12
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
02/05/2021 22:12
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/05/2021 22:12
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/05/2021 22:12
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/05/2021 22:12
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/05/2021 21:56
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
03/05/2021 21:56
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/05/2021 21:56
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/05/2021 21:56
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/05/2021 21:56
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/05/2021 22:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
04/05/2021 22:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
04/05/2021 22:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/05/2021 22:02
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
04/05/2021 22:02
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/05/2021 22:07
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
05/05/2021 22:07
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/05/2021 22:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/05/2021 22:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/05/2021 22:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/05/2021 22:10
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
06/05/2021 22:10
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/05/2021 22:10
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/05/2021 22:10
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/05/2021 22:10
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/05/2021 22:15
```


Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
07/05/2021 22:15
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/05/2021 22:15
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/05/2021 22:15
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/05/2021 22:15
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/05/2021 22:20
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
08/05/2021 22:20
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/05/2021 22:20
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/05/2021 22:20
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/05/2021 22:20
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/05/2021 21:52
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
09/05/2021 21:52
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/05/2021 21:52
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/05/2021 21:52
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
09/05/2021 21:52
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/05/2021 21:51
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
10/05/2021 21:51
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/05/2021 21:51
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/05/2021 21:51
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/05/2021 21:51
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/05/2021 22:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
11/05/2021 22:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/05/2021 22:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/05/2021 22:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/05/2021 22:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/05/2021 22:15
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
12/05/2021 22:15
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
12/05/2021 22:15
```

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/05/2021 22:15
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
12/05/2021 22:15
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/05/2021 10:12
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
14/05/2021 10:12
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/05/2021 10:12
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/05/2021 10:12
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/05/2021 10:12
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/05/2021 02:48
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
15/05/2021 02:48
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/05/2021 02:48
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/05/2021 02:48
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/05/2021 02:48
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/05/2021 00:56
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
16/05/2021 00:56
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
16/05/2021 00:56
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
16/05/2021 00:56
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
16/05/2021 00:56
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/05/2021 00:54
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
17/05/2021 00:54
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/05/2021 00:54
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/05/2021 00:54
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/05/2021 00:54
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/05/2021 00:26
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
18/05/2021 00:26
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/05/2021 00:26
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/05/2021 00:26
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/05/2021 00:26
```

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/05/2021 00:35
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
19/05/2021 00:35
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/05/2021 00:35
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/05/2021 00:35
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
19/05/2021 00:35
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/05/2021 00:15
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
20/05/2021 00:15
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/05/2021 00:15
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/05/2021 00:15
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/05/2021 00:15
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/05/2021 00:48
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
21/05/2021 00:48
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/05/2021 00:48
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
21/05/2021 00:48
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
21/05/2021 00:48
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
21/05/2021 23:13
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
21/05/2021 23:13
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
21/05/2021 23:13
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
21/05/2021 23:14
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
21/05/2021 23:14
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/05/2021 01:21
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
23/05/2021 01:21
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/05/2021 01:21
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/05/2021 01:21
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/05/2021 01:21
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
23/05/2021 22:36
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
23/05/2021 22:36
```

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/05/2021 22:36
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/05/2021 22:36
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/05/2021 22:36
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/05/2021 23:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
24/05/2021 23:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/05/2021 23:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/05/2021 23:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/05/2021 23:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/05/2021 22:27
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
25/05/2021 22:27
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/05/2021 22:27
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/05/2021 22:27
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/05/2021 22:27
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
26/05/2021 22:28
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
26/05/2021 22:28
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/05/2021 22:28
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/05/2021 22:28
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
26/05/2021 22:28
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/05/2021 22:14
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
27/05/2021 22:14
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/05/2021 22:14
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/05/2021 22:14
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
27/05/2021 22:14
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/05/2021 22:33
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
28/05/2021 22:33
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/05/2021 22:33
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/05/2021 22:33
```


License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/05/2021 22:33
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
29/05/2021 22:33
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
29/05/2021 22:33
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
29/05/2021 22:33
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
29/05/2021 22:33
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
29/05/2021 22:33
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
30/05/2021 22:54
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
30/05/2021 22:54
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
30/05/2021 22:54
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
30/05/2021 22:54
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
30/05/2021 22:54
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
31/05/2021 22:26
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
31/05/2021 22:26
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
31/05/2021 22:26
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
31/05/2021 22:26
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
31/05/2021 22:26
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/06/2021 22:15
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
01/06/2021 22:15
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/06/2021 22:15
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/06/2021 22:15
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/06/2021 22:15
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/06/2021 21:58
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
02/06/2021 21:58
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/06/2021 21:58
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/06/2021 21:58
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
02/06/2021 21:58
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
03/06/2021 22:51
```

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
03/06/2021 22:51
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/06/2021 22:51
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/06/2021 22:52
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/06/2021 22:52
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/06/2021 22:05
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
04/06/2021 22:05
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/06/2021 22:05
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/06/2021 22:05
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
04/06/2021 22:05
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/06/2021 22:27
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
05/06/2021 22:27
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/06/2021 22:27
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
05/06/2021 22:27
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
05/06/2021 22:27
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/06/2021 22:26
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
06/06/2021 22:26
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/06/2021 22:26
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/06/2021 22:26
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/06/2021 22:26
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/06/2021 22:23
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
07/06/2021 22:23
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/06/2021 22:23
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/06/2021 22:24
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
07/06/2021 22:24
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/06/2021 21:56
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
08/06/2021 21:56
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
08/06/2021 21:56
```

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/06/2021 21:56
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/06/2021 21:56
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/06/2021 22:13
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
09/06/2021 22:13
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/06/2021 22:13
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/06/2021 22:13
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/06/2021 22:13
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/06/2021 22:34
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
10/06/2021 22:34
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/06/2021 22:34
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/06/2021 22:34
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
10/06/2021 22:34
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
11/06/2021 22:50
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
11/06/2021 22:50
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/06/2021 22:50
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/06/2021 22:50
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/06/2021 22:50
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/06/2021 22:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
13/06/2021 22:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/06/2021 22:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/06/2021 22:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/06/2021 22:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/06/2021 22:32
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
14/06/2021 22:32
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/06/2021 22:32
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/06/2021 22:32
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
14/06/2021 22:32
```

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/06/2021 22:04
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
15/06/2021 22:04
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/06/2021 22:04
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/06/2021 22:04
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
15/06/2021 22:04
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/06/2021 22:02
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
16/06/2021 22:02
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/06/2021 22:02
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/06/2021 22:03
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
16/06/2021 22:03
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/06/2021 22:11
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
17/06/2021 22:11
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
17/06/2021 22:11
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
17/06/2021 22:11
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
17/06/2021 22:11
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/06/2021 22:02
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
18/06/2021 22:02
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/06/2021 22:02
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/06/2021 22:02
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
18/06/2021 22:02
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/06/2021 22:22
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
19/06/2021 22:22
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/06/2021 22:22
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/06/2021 22:23
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
19/06/2021 22:23
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
20/06/2021 22:07
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-
0dc27b7dfe41
##### E N D #####
20/06/2021 22:07
```


License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/06/2021 22:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/06/2021 22:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
20/06/2021 22:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/06/2021 22:01
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
21/06/2021 22:01
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/06/2021 22:01
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/06/2021 22:01
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
21/06/2021 22:01
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/06/2021 22:12
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
22/06/2021 22:12
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/06/2021 22:12
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/06/2021 22:12
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
22/06/2021 22:12
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D #####
23/06/2021 22:29
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
23/06/2021 22:29
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/06/2021 22:29
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/06/2021 22:30
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
23/06/2021 22:30
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/06/2021 22:31
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
24/06/2021 22:31
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/06/2021 22:31
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/06/2021 22:31
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
24/06/2021 22:31
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/06/2021 22:04
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
25/06/2021 22:04
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/06/2021 22:04
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/06/2021 22:04

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
25/06/2021 22:04
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/06/2021 22:12
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
26/06/2021 22:12
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/06/2021 22:12
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/06/2021 22:12
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
26/06/2021 22:12
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/06/2021 22:04
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
27/06/2021 22:04
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/06/2021 22:04
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/06/2021 22:04
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
27/06/2021 22:04
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
28/06/2021 22:19
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
28/06/2021 22:19
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
28/06/2021 22:19
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/06/2021 22:19
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
28/06/2021 22:19
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/06/2021 22:21
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
29/06/2021 22:21
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/06/2021 22:21
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/06/2021 22:21
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
29/06/2021 22:21
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/06/2021 22:16
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
30/06/2021 22:16
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/06/2021 22:16
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/06/2021 22:16
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
30/06/2021 22:16
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
01/07/2021 22:42
```

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
01/07/2021 22:42
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/07/2021 22:42
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/07/2021 22:42
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
01/07/2021 22:42
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/07/2021 22:20
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
02/07/2021 22:20
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/07/2021 22:20
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/07/2021 22:20
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
02/07/2021 22:20
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/07/2021 22:07
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
03/07/2021 22:07
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/07/2021 22:07
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
03/07/2021 22:07
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
03/07/2021 22:07
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 08:54
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
05/07/2021 08:54
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 08:54
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 08:54
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 08:54
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 22:00
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
05/07/2021 22:00
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 22:00
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 22:00
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
05/07/2021 22:00
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/07/2021 22:21
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
06/07/2021 22:21
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
06/07/2021 22:21
```

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/07/2021 22:21
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
06/07/2021 22:21
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/07/2021 22:25
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
07/07/2021 22:25
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/07/2021 22:25
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/07/2021 22:25
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
07/07/2021 22:25
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/07/2021 22:11
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
08/07/2021 22:11
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/07/2021 22:11
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/07/2021 22:11
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
08/07/2021 22:11
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
09/07/2021 22:20
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

```
##### E N D #####
09/07/2021 22:20
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/07/2021 22:20
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/07/2021 22:21
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
09/07/2021 22:21
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/07/2021 22:37
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
10/07/2021 22:37
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/07/2021 22:37
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/07/2021 22:37
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
10/07/2021 22:37
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/07/2021 23:04
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
##### E N D #####
11/07/2021 23:04
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/07/2021 23:04
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/07/2021 23:04
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
##### E N D #####
11/07/2021 23:04
```


License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

12/07/2021 10:26

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:26

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

```

    à System.Linq.Enumerable.SingleOrDefault[TSource] (IEnumerable`1
source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result] (IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult] (Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource] (IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T] (Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 20
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StartWorkPeriod(String description)

```

Inner Exception 1

Type: System.Data.SqlClient.SqlException

Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior
behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(Co
mmandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

Inner Exception 2
Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1266020
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040

--UserName = BAR\SOFT

E N D #####
12/07/2021 10:27

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:27

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

```

à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic
.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1
source)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 20

```

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)

```
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader (Co
mmandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader (CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands (EntityCommand entityCommand, CommandBehavior behavior)
```

```
Inner Exception 2
Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1238172
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
```



```
--ServicePackMinorVersion = 0
--Version = 10.0.19042
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

```
##### E N D #####
12/07/2021 10:28
```

[General Info]

```
Application: SambaPOS
Version:      5.3.0
Region:       fr
DB:           SQ
Machine:      BAR
User:         SOFT
Date:         12/07/2021
Time:         09:28
```

User Explanation:

```
SOFT said ""
```

[Exception Info 1]

Top-level Exception

```
Type:          System.Data.Entity.Core.EntityCommandExecutionException
Message:       An error occurred while executing the command definition.
See the inner exception for details.
Source:        EntityFramework
Stack Trace:   à
               System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
               à
               System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
               à
               System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
               à
               System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
```

```

    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 185

```

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.cs:ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3

```
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader (Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader (CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =

--CurrentTimeZone = 60
--FreePhysicalMemory = 1230948
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

12/07/2021 10:29

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:29

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)

```
    à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
    à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate
callback, Object args, Int32 numArgs)
    à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object
source, Delegate callback, Object args, Int32 numArgs, Delegate
catchHandler)
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
```

```
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1223284
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

E N D

12/07/2021 10:30

[General Info]

```
Application: SambaPOS
Version:      5.3.0
Region:       fr
DB:           SQ
Machine:      BAR
User:         SOFT
Date:         12/07/2021
Time:         09:30
```

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

```
Type:      System.Data.Entity.Core.EntityCommandExecutionException
Message:    An error occurred while executing the command definition.
See the inner exception for details.
```

```
Source:     EntityFramework
```

```
Stack Trace: à
```

```
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
```

```
à
```

```
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
```

```

    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203

```


à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs: ligne 185

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs: ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReaderDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)

```

à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

```

Inner Exception 2
Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:

```

```

-----

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

```

```

-----

```

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1232372
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

12/07/2021 10:32

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:32

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute
[TResultType](ObjectContext context, ObjectParameterCollection
parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Fun
c`1 func, IDbExecutionStrategy executionStrategy, Boolean
startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResul
t](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1
forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic
.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1
source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod

```

```
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-  
v5-  
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li  
gne 203
```

à

```
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer  
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)  
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-  
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li  
gne 185
```

à

```
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess  
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod  
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-  
v5-  
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodPro  
cessor.cs:ligne 20
```

à

```
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl  
ient.StartWorkPeriod(String description)
```

Inner Exception 1

Type: System.Data.SqlClient.SqlException

Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à

System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)

à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)

```

    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534

```

Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1227576
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:33

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:33

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

```

Source:      EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-

```



```

pro\Samba.Services.Implementations.InventoryModule.ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodPro
cessor.cs:ligne 20
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StartWorkPeriod(String description)

```

Inner Exception 1

```

Type:          System.Data.SqlClient.SqlException
Message:       Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:        .Net SqlClient Data Provider
Stack Trace:   à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
              à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
              à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
              à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
              à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
              à System.Data.SqlClient.SqlDataReader.get_MetaData()
              à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
              à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
              à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String

```

```

method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

```

Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0

```

System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1246276
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:34

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:34

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException

Message: An error occurred while executing the command definition.

See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

à

Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)

à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)

à

Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)

à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31

à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 185

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean

```

async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539

```

Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1245608
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:36

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:36

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

à

Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)

à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)


```

    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:
ligne 20
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

```

Inner Exception 1

```

Type:      System.Data.SqlClient.SqlException
Message:    Le délai d'exécution a expiré. Le délai d'attente s'est
éoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:     .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean

```

```

isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0

```

DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1246940
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:43

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021

Time: 09:43

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException

Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

```

à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T] (Expression`1 predicate, Expression`1[] includes)
à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate, Expression`1[] includes)
à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203
à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 185
à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:
ligne 20
à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

```

Inner Exception 1

```

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

```

```

    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0

WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1249280
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:44

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr

DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:44

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)


```

    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQuery
Provider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 20
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StartWorkPeriod(String description)

```

Inner Exception 1

```

Type:          System.Data.SqlClient.SqlException
Message:       Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:        .Net SqlClient Data Provider
Stack Trace:   à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

```

```

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

```

Type:      System.ComponentModel.Win32Exception
Message:    Dépassement du délai d'attente
Source:

```

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1226776
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:46

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:46

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

```

à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203
à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 185
à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:
ligne 20
à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

```

Inner Exception 1

Type: System.Data.SqlClient.SqlException

Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.

```

Source:      .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception

Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1224884
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:47

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:47

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()


```

    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1
source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(I
CacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 20
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StartWorkPeriod(String description)

```

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

Inner Exception 2
Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1227572
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF

--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 10:48

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 09:48

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

```

à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic
.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1
source)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(IC
acheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 20

```

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)

```
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader (Co
mmandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader (CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands (EntityCommand entityCommand, CommandBehavior behavior)
```

```
Inner Exception 2
Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1224140
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
```

```
--ServicePackMinorVersion = 0
--Version = 10.0.19042
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

```
##### E N D #####
12/07/2021 10:50
```

[General Info]

```
Application: SambaPOS
Version:      5.3.0
Region:       fr
DB:           SQ
Machine:      BAR
User:         SOFT
Date:         12/07/2021
Time:         09:50
```

User Explanation:

```
SOFT said ""
```

[Exception Info 1]

Top-level Exception

```
Type:          System.Data.Entity.Core.EntityCommandExecutionException
Message:       An error occurred while executing the command definition.
See the inner exception for details.
Source:        EntityFramework
Stack Trace:   à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
```



```

    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 185

```

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)

à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3

```
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader (Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader (CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =

```
--CurrentTimeZone = 60
--FreePhysicalMemory = 1227616
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

E N D

12/07/2021 11:05

[General Info]

```
Application: SambaPOS
Version:    5.3.0
Region:     fr
DB:         SQ
Machine:    BAR
User:       SOFT
Date:       12/07/2021
Time:       10:05
```

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

```
Type:      System.Data.Entity.Core.EntityCommandExecutionException
Message:    An error occurred while executing the command definition.
See the inner exception for details.
```

```
Source:     EntityFramework
```

```
Stack Trace: à
```

```
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
```

```
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
```

```
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
```

```

    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T] (Func`1 func, IDbExecutionStrategy executionStrategy, Boolean
startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult] (Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1
forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic
.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource] (IEnumerable`1
source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result] (IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult] (Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource] (IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T] (Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(IC
acheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)

```



```

à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

```

Inner Exception 2
Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

```

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1209612
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 11:07

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 10:07

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)


```

    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203

```

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs: ligne 185

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs: ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior behavior, String method)
à System.Data.SqlClient.SqlCommand.ExecuteReaderDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)

```
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<Reader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispatch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3 operation, TInterceptionContext interceptionContext, Action`3 executing, Action`3 executed)
à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader(DbCommand command, DbCommandInterceptionContext interceptionContext)
à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(CommandBehavior behavior)
à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1237268
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

12/07/2021 11:10

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 10:10

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute
[TResultType](ObjectContext context, ObjectParameterCollection
parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Fun
c`1 func, IDbExecutionStrategy executionStrategy, Boolean
startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetR
esults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResul
t](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1
forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic
.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1
source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetE
lementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[T
Result](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQu
eryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source,
Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expressio
n`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate,
Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWo
rkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(IC
acheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao
workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod

```

```
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-  
v5-  
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li  
gne 203
```

```
à  
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer  
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)  
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-  
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li  
gne 185
```

```
à  
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess  
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod  
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-  
v5-  
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodPro  
cessor.cs:ligne 20
```

```
à  
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl  
ient.StartWorkPeriod(String description)
```

Inner Exception 1

```
Type: System.Data.SqlClient.SqlException  
Message: Le délai d'exécution a expiré. Le délai d'attente s'est  
écoulé avant la fin de l'opération ou le serveur ne répond pas.  
Source: .Net SqlClient Data Provider  
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException  
exception, Boolean breakConnection, Action`1 wrapCloseInAction)  
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException  
exception, Boolean breakConnection, Action`1 wrapCloseInAction)  
à  
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb  
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)  
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,  
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet  
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)  
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()  
à System.Data.SqlClient.SqlDataReader.get_MetaData()  
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader  
ds, RunBehavior runBehavior, String resetOptionsString, Boolean  
isInternal, Boolean forDescribeParameterEncryption, Boolean  
shouldCacheForAlwaysEncrypted)  
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior  
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean  
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,  
SqlDataReader ds, Boolean describeParameterEncryptionRequest)  
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior  
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String  
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,  
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)  
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior  
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String  
method)
```

```

    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteDbDataReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteDbDataReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534

```

Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1231356
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 11:11

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 10:11

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.


```

Source:      EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-

```

```

pro\Samba.Services.Implementations.InventoryModule.ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodPro
cessor.cs:ligne 20
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StartWorkPeriod(String description)

```

Inner Exception 1

```

Type:          System.Data.SqlClient.SqlException
Message:       Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:        .Net SqlClient Data Provider
Stack Trace:   à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String

```

```

method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

```

Type:          System.ComponentModel.Win32Exception
Message:       Dépassement du délai d'attente
Source:

```

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0

```

System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1214580
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 11:13

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 10:13

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

à

Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)

à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)

à

Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)

à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.ConsumptionBuilder.cs:
ligne 31

à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 203

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryService.cs:li
gne 185

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.cs:ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException

Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean

```

async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539

```

Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1227316
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 11:15

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 10:15

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

à

Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)

à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)

```

    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
    à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203
    à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 185
    à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:
ligne 20
    à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

```

Inner Exception 1

```

Type:      System.Data.SqlClient.SqlException
Message:    Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source:     .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)
    à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
    à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean

```

```

isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0

```

DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1231616
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 11:21

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021

Time: 10:21

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException

Message: An error occurred while executing the command definition.
See the inner exception for details.

Source: EntityFramework

Stack Trace: à

System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

à

System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()

à

System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()

à

System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)

à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)

à

System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()

à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()

à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14`1.<GetElementFunction>b\_\_14\_2(IEnumerable`1 sequence)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)

à

System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)

à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)

```

à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T] (Expression`1 predicate, Expression`1[] includes)
à Samba.Persistance.Data.Dao.Single[T] (Expression`1 predicate, Expression`1[] includes)
à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31
à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 203
à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:
ligne 185
à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs:
ligne 20
à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

```

Inner Exception 1

```

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

```

```

    à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
    à System.Data.SqlClient.SqlDataReader.get_MetaData()
    à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)
    à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0

WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1238848
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
12/07/2021 18:58

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr

DB: SQ
Machine: BAR
User: SOFT
Date: 12/07/2021
Time: 17:58

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.ComponentModel.Win32Exception
Message: Le fichier de pagination est insuffisant pour terminer cette opération
Source: Samba.Services
Stack Trace: à
Samba.Services.Implementations.PrinterModule.Tools.LinePrinter.WriteData(Byte[] data) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\PrinterModule\Tools\LinePrinter.cs:ligne 192
à
Samba.Services.Implementations.PrinterModule.Tools.LinePrinter.WriteData(String data) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\PrinterModule\Tools\LinePrinter.cs:ligne 199
à
Samba.Services.Implementations.PrinterModule.Tools.LinePrinter.WriteLine(String line, Int32 height, Int32 width, LineAlignment alignment, Boolean sizeSet) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\PrinterModule\Tools\LinePrinter.cs:ligne 137
à
Samba.Services.Implementations.PrinterModule.PrintJobs.SlipPrinterJob.SendToPrinter(LinePrinter linePrinter, ILineFormatter line, Printer printer) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\PrinterModule\PrintJobs\SlipPrinterJob.cs:ligne 50
à
Samba.Services.Implementations.PrinterModule.PrintJobs.SlipPrinterJob.DoPrint(AppState appState, String[] lines) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\PrinterModule\PrintJobs\SlipPrinterJob.cs:ligne 23
à
Samba.Services.Implementations.PrinterModule.PrintJobs.PrintJobCache.Print(AppState appState) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\PrinterModule\PrintJobs\PrintJobFactory.cs:ligne 80
à
Samba.Services.Implementations.PrinterModule.TicketPrinter.InternalPrint(

```
AppState appState, Ticket ticket, PrintJob printJob, Func`2
orderSelector, Int32 copies) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\PrinterModule\TicketPrinter.cs:ligne
82
    à
Samba.Services.Implementations.PrinterModule.TicketPrinter.<>c__DisplayCl
ass17_0.<Print>b__0() dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\PrinterModule\TicketPrinter.cs:ligne
77
    à
Samba.Services.Implementations.PrinterModule.AsyncPrintTask.InternalExec(
Action action, ILogService logService) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\PrinterModule\AsyncPrintTask.cs:ligne
32
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
```

--CurrentTimeZone = 60
--FreePhysicalMemory = 1290920
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

12/07/2021 21:52

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

12/07/2021 21:52

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

12/07/2021 21:52

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

12/07/2021 21:52

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

12/07/2021 21:52

License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

12/07/2021 21:57

Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41

E N D

12/07/2021 21:57

License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

12/07/2021 21:57

License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

E N D

12/07/2021 21:57

License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True

```
##### E N D #####
12/07/2021 21:57
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-
4235-ae9b-0dc27b7dfe41:True
##### E N D #####
13/07/2021 15:23
```

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 13/07/2021
Time: 14:23

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du
programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean
enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg,
IntPtr wparam, IntPtr lparam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr
hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam,
IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate
callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object
source, Delegate callback, Object args, Int32 numArgs, Delegate
catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537

Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1411076
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF

--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
13/07/2021 22:09
Manage License for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41
E N D #####
13/07/2021 22:09
License settings clearing for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
13/07/2021 22:09
License settings cleared for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
13/07/2021 22:09
License settings restoring for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
13/07/2021 22:09
License settings restored for mediterranee@atb-group.net:cc5f8e23-d72f-4235-ae9b-0dc27b7dfe41:True
E N D #####
14/07/2021 09:01

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 08:01

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework

```

Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
    à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
    à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
    à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
    à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
    à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
    à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
    à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
    à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
    à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
    à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
    à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
    à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
    à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31

```

à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePeriodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs: ligne 203

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs: ligne 185

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcessor.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodProcessor.cs: ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodClient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException
Message: Le délai d'exécution a expiré. Le délai d'attente s'est écoulé avant la fin de l'opération ou le serveur ne répond pas.
Source: .Net SqlClient Data Provider
Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException exception, Boolean breakConnection, Action`1 wrapCloseInAction)
à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)
à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior, SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)
à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()
à System.Data.SqlClient.SqlDataReader.get_MetaData()
à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds, RunBehavior runBehavior, String resetOptionsString, Boolean isInternal, Boolean forDescribeParameterEncryption, Boolean shouldCacheForAlwaysEncrypted)
à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry, SqlDataReader ds, Boolean describeParameterEncryptionRequest)
à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method, TaskCompletionSource`1 completion, Int32 timeout, Task& task, Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)


```

    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0
Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533

```

DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1392288
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

14/07/2021 09:02

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 08:02

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.Data.Entity.Core.EntityCommandExecutionException
Message: An error occurred while executing the command definition.
See the inner exception for details.
Source: EntityFramework
Stack Trace: à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.ExecuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)
à
System.Data.Entity.Core.Objects.Internal.ObjectQueryExecutionPlan.Execute[TResultType](ObjectContext context, ObjectParameterCollection parameterValues)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__1()
à
System.Data.Entity.Core.Objects.ObjectContext.ExecuteInTransaction[T](Func`1 func, IDbExecutionStrategy executionStrategy, Boolean startLocalTransaction, Boolean releaseConnectionOnSuccess)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<>c__DisplayClass41_0.<GetResults>b__0()
à
System.Data.Entity.Infrastructure.DefaultExecutionStrategy.Execute[TResult](Func`1 operation)
à System.Data.Entity.Core.Objects.ObjectQuery`1.GetResults(Nullable`1 forMergeOption)
à
System.Data.Entity.Core.Objects.ObjectQuery`1.<System.Collections.Generic.IEnumerable<T>.GetEnumerator>b__31_0()
à System.Data.Entity.Internal.LazyEnumerator`1.MoveNext()
à System.Linq.Enumerable.SingleOrDefault[TSource](IEnumerable`1 source)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.<>c__14_1.<GetElementFunction>b__14_2(IEnumerable`1 sequence)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.ExecuteSingle[TResult](IEnumerable`1 query, Expression queryRoot)
à
System.Data.Entity.Core.Objects.ELinq.ObjectQueryProvider.System.Linq.IQueryProvider.Execute[TResult](Expression expression)
à System.Linq.Queryable.SingleOrDefault[TSource](IQueryable`1 source, Expression`1 predicate)
à
Samba.Infrastructure.Data.SqlData.ReadOnlyEFWorkspace.Single[T](Expression`1 predicate, Expression`1[] includes)
à Samba.Persistance.Data.Dao.Single[T](Expression`1 predicate, Expression`1[] includes)
à
Samba.Persistance.Implementations.InventoryDao.GetPeriodicConsumptionByWorkPeriodId(Int32 workPeriodId)
à
Samba.Services.Implementations.InventoryModule.ConsumptionBuilder..ctor(ICacheService cacheService, IInventoryDao inventoryDao, IWorkPeriodDao

workPeriodDao, WorkPeriod cw, WorkPeriod pw) dans
C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\ConsumptionBuilder.cs:
ligne 31

à
Samba.Services.Implementations.InventoryModule.InventoryService.UpdatePer
iodicConsumptionCost(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 203

à
Samba.Services.Implementations.InventoryModule.InventoryService.DoWorkPer
iodStart(WorkPeriod currentWorkPeriod, WorkPeriod previousWorkPeriod)
dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryService.cs:li
gne 185

à
Samba.Services.Implementations.InventoryModule.InventoryWorkperiodProcess
or.ProcessWorkPeriodStart(WorkPeriod currentWorkPeriod, WorkPeriod
previousWorkPeriod) dans C:\Users\Vehbi\Documents\Source\Repos\sambapos-
v5-
pro\Samba.Services\Implementations\InventoryModule\InventoryWorkperiodPro
cessor.cs:ligne 20

à
Samba.Presentation.Services.Implementations.WorkPeriodModule.WorkperiodCl
ient.StartWorkPeriod(String description)

Inner Exception 1

Type: System.Data.SqlClient.SqlException

Message: Le délai d'exécution a expiré. Le délai d'attente s'est
écoulé avant la fin de l'opération ou le serveur ne répond pas.

Source: .Net SqlClient Data Provider

Stack Trace: à System.Data.SqlClient.SqlConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection, Action`1 wrapCloseInAction)

à
System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateOb
ject stateObj, Boolean callerHasConnectionLock, Boolean asyncClose)

à System.Data.SqlClient.TdsParser.TryRun(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj, Boolean& dataReady)

à System.Data.SqlClient.SqlDataReader.TryConsumeMetaData()

à System.Data.SqlClient.SqlDataReader.get_MetaData()

à System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader
ds, RunBehavior runBehavior, String resetOptionsString, Boolean
isInternal, Boolean forDescribeParameterEncryption, Boolean
shouldCacheForAlwaysEncrypted)

à System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean
async, Int32 timeout, Task& task, Boolean asyncWrite, Boolean inRetry,
SqlDataReader ds, Boolean describeParameterEncryptionRequest)

```

    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method, TaskCompletionSource`1 completion, Int32 timeout, Task& task,
Boolean& usedCache, Boolean asyncWrite, Boolean inRetry)
    à System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String
method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)
    à System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.<>c.<R
eader>b__6_0(DbCommand t, DbCommandInterceptionContext`1 c)
    à
System.Data.Entity.Infrastructure.Interception.InternalDispatcher`1.Dispa
tch[TTarget,TInterceptionContext,TResult](TTarget target, Func`3
operation, TInterceptionContext interceptionContext, Action`3 executing,
Action`3 executed)
    à
System.Data.Entity.Infrastructure.Interception.DbCommandDispatcher.Reader
(DbCommand command, DbCommandInterceptionContext interceptionContext)
    à
System.Data.Entity.Internal.InterceptableDbCommand.ExecuteReader(Co
mmandBehavior behavior)
    à System.Data.Common.DbCommand.ExecuteReader(CommandBehavior behavior)
    à
System.Data.Entity.Core.EntityClient.Internal.EntityCommandDefinition.Exe
cuteStoreCommands(EntityCommand entityCommand, CommandBehavior behavior)

```

Inner Exception 2

Type: System.ComponentModel.Win32Exception
Message: Dépassement du délai d'attente
Source:

[Assembly Info]

```

mscorlib, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
System, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
System.ComponentModel.Composition, Version=4.0.0.0
System.Configuration, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
Samba.Presentation.Common, Version=5.3.7390.41541
System.Drawing, Version=4.0.0.0

```

Samba.Domain, Version=5.3.7390.41536
Microsoft.Practices.Prism, Version=4.0.0.0
System.Core, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
DevExpress.Data.v17.2, Version=17.2.13.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
Samba.Localization, Version=5.3.7390.41534
Samba.Persistance, Version=5.3.7390.41536
FastButton, Version=1.0.0.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1361352
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0

PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1425504
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException

Message: Mémoire insuffisante pour continuer l'exécution du programme.

Source: PresentationCore

Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()

à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)

à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)

à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)

à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)

à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)

à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)

à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)

à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0

System, Version=4.0.0.0

Samba.Services, Version=5.3.7390.41537

Samba.Domain, Version=5.3.7390.41536

Samba.Infrastructure.Data, Version=5.3.7390.41536

System.ComponentModel.Composition, Version=4.0.0.0

Samba.Presentation.Services, Version=5.3.7390.41539

System.Core, Version=4.0.0.0

PresentationCore, Version=4.0.0.0

WindowsBase, Version=4.0.0.0

PresentationFramework, Version=4.0.0.0

DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0

System.Xml, Version=4.0.0.0

DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0

DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0

System.Xaml, Version=4.0.0.0

Samba.Infrastructure, Version=5.3.7390.41533

Microsoft.Practices.Prism, Version=4.0.0.0

System.Runtime.Serialization, Version=4.0.0.0

Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0

DevExpress.Xpf.Core.v17.2, Version=17.2.13.0

System.Windows.Forms, Version=4.0.0.0

System.Drawing, Version=4.0.0.0

Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1303216
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException

Message: Mémoire insuffisante pour continuer l'exécution du programme.

Source: PresentationCore

Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()

à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean

enableRenderTarget, Nullable`1 channelSet)

à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)

à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg,

IntPtr wParam, IntPtr lParam)

à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr

hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)

à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam,

IntPtr lParam, Boolean& handled)

à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)

à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)

à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0

System, Version=4.0.0.0

Samba.Services, Version=5.3.7390.41537

Samba.Domain, Version=5.3.7390.41536

Samba.Infrastructure.Data, Version=5.3.7390.41536

System.ComponentModel.Composition, Version=4.0.0.0

Samba.Presentation.Services, Version=5.3.7390.41539

System.Core, Version=4.0.0.0

PresentationCore, Version=4.0.0.0

WindowsBase, Version=4.0.0.0

PresentationFramework, Version=4.0.0.0

DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0

System.Xml, Version=4.0.0.0

DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0

DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0

System.Xaml, Version=4.0.0.0

Samba.Infrastructure, Version=5.3.7390.41533

Microsoft.Practices.Prism, Version=4.0.0.0

System.Runtime.Serialization, Version=4.0.0.0

Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0

DevExpress.Xpf.Core.v17.2, Version=17.2.13.0

System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1304624
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021

Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException

Message: Mémoire insuffisante pour continuer l'exécution du programme.

Source: PresentationCore

Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()

à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean

enableRenderTarget, Nullable`1 channelSet)

à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)

à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg,

IntPtr wParam, IntPtr lParam)

à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr

hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)

à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam,

IntPtr lParam, Boolean& handled)

à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)

à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)

à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0

System, Version=4.0.0.0

Samba.Services, Version=5.3.7390.41537

Samba.Domain, Version=5.3.7390.41536

Samba.Infrastructure.Data, Version=5.3.7390.41536

System.ComponentModel.Composition, Version=4.0.0.0

Samba.Presentation.Services, Version=5.3.7390.41539

System.Core, Version=4.0.0.0

PresentationCore, Version=4.0.0.0

WindowsBase, Version=4.0.0.0

PresentationFramework, Version=4.0.0.0

DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0

System.Xml, Version=4.0.0.0

DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0

DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0

System.Xaml, Version=4.0.0.0

Samba.Infrastructure, Version=5.3.7390.41533

Microsoft.Practices.Prism, Version=4.0.0.0

System.Runtime.Serialization, Version=4.0.0.0

Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1308328
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR

User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lparam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533

Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1309404
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr

DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0

System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1355236
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS

Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0

DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1351740
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lparam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0

DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1355744
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0

WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1356036
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lparam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539

System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1361176
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536

System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System

-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1359192
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine

-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lparam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537

Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1359064
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF

--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0

System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1363000
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR

--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D #####
14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1362632
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042

Machine
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT

E N D

14/07/2021 10:38

[General Info]

Application: SambaPOS
Version: 5.3.0
Region: fr
DB: SQ
Machine: BAR
User: SOFT
Date: 14/07/2021
Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException
Message: Mémoire insuffisante pour continuer l'exécution du programme.
Source: PresentationCore
Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean enableRenderTarget, Nullable`1 channelSet)
à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg, IntPtr wparam, IntPtr lParam)
à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1362936
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0

--Version = 10.0.19042

Machine

-BAR

--Manufacturer = Hewlett-Packard

--Model = HP ProDesk 600 G1 SFF

--TotalPhysicalMemory = 4179927040

--UserName = BAR\SOFT

E N D

14/07/2021 10:38

[General Info]

Application: SambaPOS

Version: 5.3.0

Region: fr

DB: SQ

Machine: BAR

User: SOFT

Date: 14/07/2021

Time: 09:38

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

Type: System.OutOfMemoryException

Message: Mémoire insuffisante pour continuer l'exécution du programme.

Source: PresentationCore

Stack Trace: à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()

à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean

enableRenderTarget, Nullable`1 channelSet)

à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)

à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg,

IntPtr wparam, IntPtr lparam)

à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr

hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)

à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam,

IntPtr lParam, Boolean& handled)

à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)

à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate callback, Object args, Int32 numArgs)

à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object source, Delegate callback, Object args, Int32 numArgs, Delegate catchHandler)

[Assembly Info]

mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0

[System Info]

Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
--FreePhysicalMemory = 1360780
--OSArchitecture = 64 bits
--OSLanguage = 1036

```
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

E N D

14/07/2021 10:38

[General Info]

```
Application: SambaPOS
Version:      5.3.0
Region:       fr
DB:           SQ
Machine:      BAR
User:         SOFT
Date:         14/07/2021
Time:         09:38
```

User Explanation:

SOFT said ""

[Exception Info 1]

Top-level Exception

```
Type:          System.OutOfMemoryException
Message:       Mémoire insuffisante pour continuer l'exécution du
programme.
Source:        PresentationCore
Stack Trace:   à System.Windows.Media.Composition.DUCE.Channel.SyncFlush()
               à System.Windows.Interop.HwndTarget.UpdateWindowSettings(Boolean
enableRenderTarget, Nullable`1 channelSet)
               à System.Windows.Interop.HwndTarget.UpdateWindowPos(IntPtr lParam)
               à System.Windows.Interop.HwndTarget.HandleMessage(WindowMessage msg,
IntPtr wparam, IntPtr lParam)
               à System.Windows.Interop.HwndSource.HwndTargetFilterMessage(IntPtr
hwnd, Int32 msg, IntPtr wParam, IntPtr lParam, Boolean& handled)
               à MS.Win32.HwndWrapper.WndProc(IntPtr hwnd, Int32 msg, IntPtr wParam,
IntPtr lParam, Boolean& handled)
               à MS.Win32.HwndSubclass.DispatcherCallbackOperation(Object o)
               à System.Windows.Threading.ExceptionWrapper.InternalRealCall(Delegate
callback, Object args, Int32 numArgs)
```

```
à System.Windows.Threading.ExceptionWrapper.TryCatchWhen(Object
source, Delegate callback, Object args, Int32 numArgs, Delegate
catchHandler)
```

[Assembly Info]

```
mscorlib, Version=4.0.0.0
System, Version=4.0.0.0
Samba.Services, Version=5.3.7390.41537
Samba.Domain, Version=5.3.7390.41536
Samba.Infrastructure.Data, Version=5.3.7390.41536
System.ComponentModel.Composition, Version=4.0.0.0
Samba.Presentation.Services, Version=5.3.7390.41539
System.Core, Version=4.0.0.0
PresentationCore, Version=4.0.0.0
WindowsBase, Version=4.0.0.0
PresentationFramework, Version=4.0.0.0
DevExpress.Xpf.LayoutControl.v17.2, Version=17.2.13.0
System.Xml, Version=4.0.0.0
DevExpress.Xpf.Grid.v17.2, Version=17.2.13.0
DevExpress.Xpf.Grid.v17.2.Core, Version=17.2.13.0
System.Xaml, Version=4.0.0.0
Samba.Infrastructure, Version=5.3.7390.41533
Microsoft.Practices.Prism, Version=4.0.0.0
System.Runtime.Serialization, Version=4.0.0.0
Microsoft.Practices.Prism.MefExtensions, Version=4.0.0.0
DevExpress.Xpf.Core.v17.2, Version=17.2.13.0
System.Windows.Forms, Version=4.0.0.0
System.Drawing, Version=4.0.0.0
Samba.Persistance, Version=5.3.7390.41536
Stateless, Version=1.0.0.0
PropertyTools, Version=2012.4.14.1
Samba.Localization, Version=5.3.7390.41534
ReachFramework, Version=4.0.0.0
EntityFramework, Version=6.0.0.0
FluentValidation, Version=3.4.0.0
NCalc, Version=1.3.8.0
Microsoft.CSharp, Version=4.0.0.0
Omu.ValueInjector, Version=2.3.0.0
Microsoft.Practices.ServiceLocation, Version=1.0.0.0
DevExpress.Data.v17.2, Version=17.2.13.0
WindowsInput, Version=1.0.4.0
```

[System Info]

```
Operating System
-Microsoft Windows 10 Professionnel
--CodeSet = 1252
--CSDVersion =
--CurrentTimeZone = 60
```



```
--FreePhysicalMemory = 1362384
--OSArchitecture = 64 bits
--OSLanguage = 1036
--ServicePackMajorVersion = 0
--ServicePackMinorVersion = 0
--Version = 10.0.19042
```

Machine

```
-BAR
--Manufacturer = Hewlett-Packard
--Model = HP ProDesk 600 G1 SFF
--TotalPhysicalMemory = 4179927040
--UserName = BAR\SOFT
```

E N D